

## Progress Plus: References

- Andrews, G. and Peters, L. (1994) *Measurement of consumer outcome in mental health*, in *A report to the National Mental Health Information Strategy Committee*, CRUFAD, Editor, CRUFAD: Sydney.
- Aoun, S., Penebaker, D., and Janca, A. (2002) Outcome measurement in rural mental health care: a field trial of rooming-in models, *Australian Journal of Rural Health*, 10(6): 302-7.
- Appleby, L. (2004) *The National Service Framework for Mental Health – Five Years On*, Department of Health: London. pp84.
- Amin, S., et al. (1999) Evaluating the Health of the Nation Outcome Scales: Reliability and validity in a three-year follow-up of first-onset psychosis, *British Journal of Psychiatry*, 174: 399-403.
- Andrews, G. and Page, A.C. (2005) Outcome measurement, outcome management and monitoring, *Australian and New Zealand Journal of Psychiatry*, 39(8): 649-651.
- Ashaye, O., Mathew, G., and Dhadphale, M. (1997) A comparison of older longstay psychiatric and learning disability inpatients using the Health of the Nation Outcome Scales, *International Journal of Geriatric Psychiatry*, 12(5): 548-552.
- Ashaye, K., et al. (1999) Do the Health of the Nation Outcome Scales predict outcome in the elderly mentally ill? A 1-year follow-up study, *Journal of Mental Health*, 8(6): 615-620.
- Ashaye, O., Livingston, G., and Orrell, M. (2003) Does standardized needs assessment improve the outcome of psychiatric day hospital care for older people? A randomized controlled trial, *Aging & Mental Health*, 7(3): 195-199.
- Atkinson, A. (2005) *Atkinson Review: Final Report*, HMSO: London.
- Barkham, M., et al. (2006) A core approach to practice-based evidence: A brief history of the origins and applications of the CORE-OM and CORE System, *Counselling and Psychotherapy Research*, 6(1): 3-15.
- Bebbington, P., et al. (1999) Validation of the Health of the Nation Outcome Scales, *British Journal of Psychiatry*, 174: 389-394.
- Boot, B., Hall, W., and Andrews, G. (1997) Disability, outcome and case-mix in acute psychiatric inpatient units, *British Journal of Psychiatry*, 171: 242-6.
- Bower, P., Gilbody, S., and Barkham, M. (2006) Making decisions about patient progress: the application of routine outcome measurement in stepped care psychological therapy services, *Primary Care Mental Health*, 4(1): 21-28.
- Brazier, J., Yang, Y., and Tsuchiya, A. (2007) *Review of methods for mapping between condition specific measures onto generic measures of health*, in Report prepared for the Office of Health Economics, School of Health and Related Research, University of Sheffield: Sheffield.
- Cahill, J., et al. (2006) Convergent Validity of the CORE Measures With Measures of Depression for Clients in Cognitive Therapy for Depression, *Journal of Counseling Psychology*, 53(2): 253-259.
- Callaly, T. and Hallebone, E.L. (2001) Introducing the routine use of outcomes measurement to mental health services, *Australian Health Review*, 24(1): 43-50.
- Castelli, A., et al. (2007) A new approach to measuring health system output and productivity, *National Institute Economic Review*, 200: 105-117.
- Clifford, P. (1998) M is for outcome: the C.O.R.E. outcomes initiative, *Journal of Mental Health*, 7(1): 19-24.
- Department of Health (2007) *Options for the Future of Payment by Results: 2008/09 to 2010/11*, in Consultation Document Annex B: Specific Services, Department of Health: London. pp. 23.
- Eagar, K., Trauer, T., and Mellsop, G. (2005) Performance of routine outcome measures in adult mental health care, *Australian and New Zealand Journal of Psychiatry*, 39(8): 713-718.
- Eisen, S.V., Dickey, B., and Sidered, L.I. (2000) A self-report symptom and problem rating scale to increase inpatients' involvement in treatment, *Psychiatric Services* 51(3): 349-353.

- Elphick, M., et al. (1997) *Mental health: casemix outcome resources needs: summary report*. Img; G7083, Winchester - Information Management Group, NHS Executive Headquarters, Highcroft, Romsey Road Winchester SO22 5DH: The National Casemix Office. pp9.
- Elphick, M., et al. (1997) *Mental health report: casemix outcome resources needs*. Img; G7080, Winchester - Information Management Group, NHS Executive Headquarters, Highcroft, Romsey Road Winchester SO22 5DH: The National Casemix Office. pp137.
- Fonagy, P., Matthews, R., and Pilling, S. (2004) *The Mental Health Outcomes Measurement Initiative: Report from the Chair of the Outcomes Reference Group*, National Collaborating Centre for Mental Health: London.
- Ford, D. (2005) *Measuring quality in mental health services in the United States*, Final Report, Commonwealth Fund and Health Foundation Harkness Fellow in Health Care Policy. pp60.
- Gilbody, S.M., House, A.O., and Sheldon, T.A. (2001) Routinely administered questionnaires for depression and anxiety: systematic review, *British Medical Journal*, no 7283: Feb 17 2001.
- Gilbody, S.M., House, A.O., and Sheldon, T.A. (2003) Outcome measures and needs assessment tools for schizophrenia and related disorders, *Cochrane Database of Systematic Reviews*, (1): CD003081.
- Gilbody, S.M., House, A.O., and Sheldon, T. (2002) Routine administration of Health Related Quality of Life (HRQoL) and needs assessment instruments to improve psychological outcome--a systematic review.[see comment], *Psychological Medicine*, 32(8): 1345-56.
- Gilbody, S.M., House, A.O., and Sheldon, T.A. (2002) Outcomes research in mental health: Systematic review, *British Journal of Psychiatry*, 181: 8-16.
- Gilbody, S.M., et al. (2003) *Outcomes measurement in psychiatry: a critical review of outcomes measurement in psychiatric research and practice*, in CRD report; 24, University of York: York. pp115.
- Goldney, R.D., Fisher, L.J., and Walmsley, S.H. (1998) The Health of the Nation Outcome Scales in psychiatric hospitalisation: A multicentre study examining outcome and prediction of length of stay, *Australian and New Zealand Journal of Psychiatry*, 32(2): 199-205.
- Green, R.S. and Gracely, E.J. (1987) Selecting a rating scale for evaluating services to the chronically mentally ill, *Community Mental Health Journal*, 23: 91-102.
- Gunther, O., et al. (2007) The EQ-5D in alcohol dependent patients: Relationships among health-related quality of life, psychopathology and social functioning, *Drug and Alcohol Dependence*, 86(2-3): 253-264.
- Huxley, P. and Evans, S. (2002) Quality of life routine outcomes measurement: Lessons from experience in the USA and the UK, *Epidemiologia e Psichiatria Sociale*, 11(3): 192-197.
- Lambert, G., Caputi, P., and Deane, F.P. (2002) Sources of information when rating the Health of the Nation Outcome Scales, *International Journal of Mental Health Nursing*, 11(2): 135-138.
- Leach, C., et al. (2005) Assessing risk and emotional disturbance using the CORE-OM and HoNOS outcome measures at the interface between primary and secondary mental healthcare, *Psychiatric Bulletin*, 29(11): 419-422.
- Lelliott, P., et al. (2001) Carers' and Users' Expectations of Services-User version (CUES-U): A new instrument to measure the experience of users of mental health services, *British Journal of Psychiatry*, 179: 67-72.
- Lyne, K., et al. (2006) Dimensions of variation on the CORE-OM, *British Journal of Clinical Psychology*, 45(2): 185-203.
- Marks, I. (1998) Overcoming obstacles to routine outcome measurement *British Journal of Psychiatry*, 173: 281-286.
- Mangalore, R. (2000) The utility approach to valuing health states in schizophrenia, *Mental Health Research Review*, May: 11-15.
- Meehan, T., et al. (2006) Introduction of routine outcome measures: staff reactions and issues for consideration, *Journal of Psychiatric & Mental Health Nursing*, 13(5): 581-7.

- Mellor-Clark, J., et al. (2006) Resourcing a CORE Network to develop a National Research Database to help enhance psychological therapy and counselling service provision, *Counselling and Psychotherapy Research*, 6(1): 16-22.
- Orrell, M., et al. (1999) Validity and reliability of the Health of the Nation Outcome Scales in psychiatric patients in the community, *British Journal of Psychiatry*, 174: 409-412.
- Parker, G., et al. (2002) Assessing outcome in community mental health patients: A comparative analysis of measures, *International Journal of Social Psychiatry*, 48(1): 11-19.
- Priebe, S., et al. (2002) The impact of routine outcome measurement on treatment processes in community mental health care: approach and methods of the MECCA study, *Epidemiologia e Psichiatria Sociale*, 11(3): 198-205.
- Sharma, V.K., Wilkinson, G., and Fear, S. (1999) Health of the Nation Outcome Scales: A case study in general psychiatry, *British Journal of Psychiatry*, 174: 395-398.
- Slade, M., Thornicroft, G., and Glover, G. (1999) The feasibility of routine outcome measures in mental health, *Social Psychiatry and Psychiatric Epidemiology*, 34(5): 243-249.
- Slade, M. (2002) What outcomes to measure in routine mental health services, and how to assess them: a systematic review, *Australian & New Zealand Journal of Psychiatry*, 36(6): 743-53.
- Slade, M., et al. (2006) Use of standardised outcome measures in adult mental health services: Randomised controlled trial, *British Journal of Psychiatry*, 189(4): 330-336.
- Stafrace, S. (2002) Doubts about HoNOS, *Australian and New Zealand Journal of Psychiatry*, 36(2): 270.
- Stedman, T., et al. (2000) The perceived utility of six selected measures of consumer outcomes proposed for routine use in Australian mental health services, *Australian and New Zealand Journal of Psychiatry*, 34(5): 842-849.
- Stein, G.S. (1999) Usefulness of the Health of the Nation Outcome Scales, *British Journal of Psychiatry*, 174: 375-7.
- Trauer, T. (1998) The health of the nation outcome scales in outcome measurement: a critical review, *Australasian Psychiatry*, 6(1): 11-14.
- Trauer, T. (1999) The subscale structure of the Health of the Nation Outcome Scales (HoNOS), *Journal of Mental Health*, 8(5): 499-509.
- Trauer, T. (2000) Comment, *Australian and New Zealand Journal of Psychiatry*, 34(3): 520- 521.
- Trauer, T. and Callaly, T. (2002) Concordance between patients and their case managers using the Health of the Nation Outcome Scales (HoNOS), *Australasian Psychiatry*, 10(1): 24- 28.
- Trauer, T., Callaly, T., and Herrman, H. (2005) *Evaluation of adult mental health services using routine outcome measures*, in Unpublished report.
- The Care Packages and Pathways Project (2006) *Mental Health: Payment by Results*, in Final report version 10, The Care Packages and Pathways Project. pp62.
- van de Willige, G., et al. (2005) Changes in quality of life in chronic psychiatric patients: A comparison between EuroQol (EQ-5D) and WHOQoL *Quality of Life Research*, 14(2): 441-451.